

SMART^S

2.370



*Suitable for passenger transport.
Tested according to ISO 7176-19
(max. user weight 136 kg)*



MEYRA[®]



Optimised folding system with compact folding dimensions



Extremely low actuating forces



Individually adjustable chassis



Unique side panel with height-adjustable armrest, one-handed operation

New Active Line

EFFICIENCY

- High degree of compatible parts
- Minimal wear and need for repair due to the integral construction of the frame and the quality of the add-on components
- Quick and reliable supply of spare parts over the long term due to a nationwide specialist trade network

THERAPEUTIC BENEFIT

- Stabilisation and mobilisation of users with neurological medical conditions, e.g. with best possible smooth-running properties, good support when sitting and low weight
- Straight front construction and swing-away, detachable legrests enable the user to move up close to everyday objects with ease
- Folding mechanism for independent loading into car
- Adaptable to the user's changing functionality, e.g. retrofitting of electric drive
- Extensive range of equipment for long-term users

USE

- For permanent and long-term care
- Very well suited for a wide range of medical conditions, including the severely afflicted
- For users with some remaining walking and standing ability (sit to stand transfer)
- For neurological disorders

☐ ORDER

☐ COST ESTIMATE

☐ CUSTOM DESIGN

Please fax the completed order form to: +49 5733 922 9311 Customer service: +49 5733 922 311

Billing address / Customer ref. no.:

Delivery address:

Consignment / Comments:

MEYRA



Suitable for passenger transport.
Tested according to ISO 7176-19
(max. user weight 136 kg)

SMART S 2.370

All prices subject to VAT at the prevailing rate! Valid from 01.01.2020 – 31.12.2020.
Our Terms and Conditions as stated at www.meyra.de/AGB shall apply.



Specifications

Seat width	320	340	360	380	400	420	440	460	480	500	520
Width, ready to move	500	520	540	560	580	600	620	640	660	680	700
Width, folded	280 with 0° wheel camber or 330 with 3° wheel camber										
Seat depth	380 / 400 / 420 / 440 / 460 / 480 / 500										
Seat height front / rear	400 to 540 / 370 to 530										
Total height	Seat height rear + back height										
Back height	variable from 250 to 500 (+ 25 mm)										
Armrest height	approx. 170- 245										
Length with footrest	880 - 1,030 (depending on frame length, wheel size and axle position)										

Dimensions in mm, weights in kg, wheels in inches, dimension tolerance ± 10 mm

Caution!

Please note when using public transport (e.g. trains): the dimensions of the wheelchair may exceed the transport company guidelines. Please enquire beforehand.

When using auxiliary drives, the permissible total weight must not be exceeded.

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.



Specifications

User weight	150
Empty weight	from 10.5
Permissible total weight	160.5
Transport weight	6.5
	560 (22")
Drive wheel	600 (24")
	635 (25")
	660 (26")



00 Frame design (frame length)

	CODE	DESCRIPTION	SD IN MM	BL IN MM
<input type="checkbox"/>	351	Frame short	380 – 420	880 – 950
<input type="checkbox"/>	352	Frame medium	440 – 460	920 – 990
<input type="checkbox"/>	353	Frame long	480 – 500	960 – 1,030
<input type="checkbox"/>	992	Varioblock for auxiliary drives (only necessary with selection of side panel CODE 81 or 84 in combination with Alber drives. The total width of the wheelchair increases by 20 mm)		
<input type="checkbox"/>	903	Reinforced caster forks, recommended when using auxiliary drives and with heavier user weight		

Please bear in mind your seat depth and specify this accordingly in category 02!



01 Seat width (SW)

	CODE	DESCRIPTION
<input type="checkbox"/>	32	SW 320 mm
<input type="checkbox"/>	34	SW 340 mm
<input type="checkbox"/>	36	SW 360 mm
<input type="checkbox"/>	38	SW 380 mm
<input type="checkbox"/>	40	SW 400 mm
<input type="checkbox"/>	342	SW 420 mm
<input type="checkbox"/>	344	SW 440 mm
<input type="checkbox"/>	46	SW 460 mm
<input type="checkbox"/>	48	SW 480 mm
<input type="checkbox"/>	350	SW 500 mm
<input type="checkbox"/>	952	SW 520 mm

☐ Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

02 Seat depth (SD) Tension-adjustable seat belt

	CODE	DESCRIPTION		FRAME CODE
<input type="checkbox"/>	368	SD 380 mm	incl. utensil bag under the seat belt	351
<input type="checkbox"/>	615	SD 400 mm	incl. utensil bag under the seat belt	351
<input type="checkbox"/>	784	SD 420 mm	incl. utensil bag under the seat belt	351
<input type="checkbox"/>	618	SD 440 mm	incl. utensil bag under the seat belt	352
<input type="checkbox"/>	619	SD 460 mm	incl. utensil bag under the seat belt	352
<input type="checkbox"/>	787	SD 480 mm	incl. utensil bag under the seat belt	353
<input type="checkbox"/>	792	SD 500 mm	incl. utensil bag under the seat belt	353

03 Front seat height (FSH) in combination with castor wheel (without seat cushion)

Horizontal columns = seat heights in mm Vertical lines = Ø castor wheel size in mm

Please select your required seat height by selecting a possible combination of seat height and wheel size.

The maximum permitted seat height difference between front and rear seat height is 90 mm! Recommendation: Solid rubber castor wheels for heavier user weight

FSH	CODE	CODE 161	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540
	645	punc-															
	Pneumat-	ture-proof															
	ic tyres																
Ø 100 solid rubber C 151			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Ø 125 solid rubber C 325				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Ø 142 soft solid rubber C 327					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Ø 180	<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A standard castor wheel is automatically configured when the FSH is selected. Xtrends castor wheels can be selected as an option in the following table.

	CODE	ARTICLE	DESCRIPTION
<input type="checkbox"/>	2144	1083184	Fix steering head attachment (recommended for very active use or with the use of auxiliary drives)

☐ Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Xtrends castor wheels

	CODE	ARTICLE	DESCRIPTION	RIM	TYRES	Ø X W
<input type="checkbox"/>	689	1068963	Lightwheel (pair)	Plastic	Solid rubber transparent / colour	100 x 23 mm
<input type="checkbox"/>	689	1072385	Castor wheel (pair)	Aluminium silver	Solid rubber	100 x 32 mm
<input type="checkbox"/>	689	1072386	Castor wheel (pair)	Aluminium silver	Solid rubber	125 x 32 mm
<input type="checkbox"/>	689	Frog legs castor wheel (pair)				
		<input type="checkbox"/> silver	1081340			
		<input type="checkbox"/> black	1081341			
		<input type="checkbox"/> orange	1081342		Solid rubber	100 x 32 mm
		<input type="checkbox"/> red	1081343			
		<input type="checkbox"/> blue	1081344			
<input type="checkbox"/>	689	Frog legs castor wheel (pair)				
		<input type="checkbox"/> silver	1081345			
		<input type="checkbox"/> black	1081346			
		<input type="checkbox"/> orange	1081347		Solid rubber	125 x 32 mm
		<input type="checkbox"/> red	1081348			
		<input type="checkbox"/> blue	1081349			

04

Seat cushion

	CODE	DESCRIPTION
<input type="checkbox"/>	560	Seat cushion 30 mm
<input type="checkbox"/>	561	Seat cushion 60 mm
<input type="checkbox"/>	562	Fleece strips on seat belt

Please select the colour you require in category 16 Seat belt and back strap colours.

05

Rear seat height (RSH) in combination with drive wheel (without seat cushion)

Horizontal columns = seat heights in mm Vertical lines = Ø drive wheel

Please select your required seat height by selecting a possible combination of seat height and wheel size.
The maximum permitted seat height difference between front and rear seat height is 90 mm! 25"/26" see Xtrends drive wheels.

☐ (Possible seat heights with 3° wheel camber CODE 447 in conj. with drum brake CODE 706)

	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530
Ø 22 x 1"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
Ø 24 x 1"				<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Ø 24 x 1 3/8"					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Ø 25 x 1"						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ø 26 x 1"							<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

Horizontal drive wheel position (setting centre of gravity)

USER TYPE	ACTIVE			AVERAGE		PASSIVE	
Position	1**	2**	3	4	5	6	7
Distance * in mm	<input type="checkbox"/> 100	<input type="checkbox"/> 90	<input type="checkbox"/> 80	<input type="checkbox"/> 70	<input type="checkbox"/> 60	<input type="checkbox"/> 50	<input type="checkbox"/> 40

* Measurement: Centre of back tube to centre of axle in mm

** cannot be fitted in conjunction with frame short CODE 351

06 Drive wheels in combination with seat height

CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/> 651	Standard wheel, incl. quick release axle (pair)	22"	24"
<input type="checkbox"/> 2651	Standard wheel black, incl. quick release axle (pair) not in conjunction with CODE 706 drum brake	-	24"
<input type="checkbox"/> 848	SILVERDESIGN with radial spokes and high flange hub incl. quick release axle (pair)	-	24"
<input type="checkbox"/> 695	Active wheel with radial spokes, high flange hub, hollow section rim (Jumbo rim) black (pair) Recommended for user weight over 100 kg or dynamic driving style! Not in conjunction with PU tyres CODE 902 and drum brake CODE 706	-	24"
<input type="checkbox"/> 752	"Light" wheel incl. Schwalbe RightRun light tyre and black aluminium hand rim, only in conjunction with 0° wheel camber CODE 423. (pair) Recommended for user weight up to 90 kg!	22"	24"

With CODE 651 and 695, select your hand rim in category 08 and the tyres in category 09.

Or select optional Xtrends drive wheels incl. hand rims and tyres instead of drive wheels CODE 651, 695 or 752.

Xtrends drive wheels

CODE	ARTICLE	DESCRIPTION	Ø
<input type="checkbox"/> 688	<input type="checkbox"/> blue 1081354 <input type="checkbox"/> red 1081356 <input type="checkbox"/> gold 1081355	New Active wheel with radial spokes, Schwalbe ONE tyre, hub, rim and hand rim, colour	24 x 1"
<input type="checkbox"/> 688	1068705	Six star incl. 8 bar high-pressure tyres and aluminium hand rim (pair)	24 x 1"
<input type="checkbox"/> 688	1068707	CROSS wheel incl. aluminium wheel rim, heavy studded tread tyres and stainless steel hand rim (pair)	24 x 1.75"
<input type="checkbox"/> 688	1073641	Spinergy wheel, 12 spoke black, incl. Schwalbe Marathon Plus Evolution and Tetra hand rim (pair) White or orange spokes possible on request!	24 x 1"

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

Xtrends drive wheels

	CODE	ARTICLE	DESCRIPTION	Ø
<input type="checkbox"/>	688	1085185	Spinergy carbon drive wheel, black spokes incl. Schwalbe One tyres and stainless steel hand rims	24 x 1"
<input type="checkbox"/>	688	1073640	Spinergy wheel, 12 spoke black, incl. Schwalbe Marathon Plus Evolution and stainless steel hand rim (pair) White or orange spokes possible on request!	24 x 1"
<input type="checkbox"/>	688	1068713	Black Light incl. Schwalbe Marathon Plus Evolution and aluminium hand rim (pair)	24 x 1"
<input type="checkbox"/>	688	<input type="checkbox"/> 1075478 25 x 1" <input type="checkbox"/> 1075479 26 x 1"	Active wheel with radial spokes, high flange hub, hollow section rim (jumbo rim) in black, incl. Schwalbe Marathon Plus Evolution and stainless steel hand rim. (pair) Recommended for user weight over 100 kg or dynamic driving style!	25" 26"

These trendy wheels are delivered in pairs. Deviating equipment of Xtrends wheels possible on request.

Drive wheel options

Locking device for tetraplegics

	CODE	DESCRIPTION
<input type="checkbox"/>	697	Unlocking device for tetraplegics, facilitates the removal of the drive wheel Only in conjunction with drive wheels CODE 848 and 695, recommended in conjunction with 3° wheel camber CODE 447

Wheel camber

<input type="checkbox"/>	423	0° wheel camber (track adjustable, wheel camber can be altered subsequently)
<input type="checkbox"/>	447	3° wheel camber (track adjustable, wheel camber can be altered subsequently) in combination with drum brake CODE 706 restricted seat height variation

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

07 Hand rims and hand rim options (not in combination with Xtrends wheels)

	CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/>	445	Titanium, with 6 brackets, only in conjunction with Active wheel CODE 695	24"	-
<input type="checkbox"/>	493	Brightly polished stainless steel	24"	-
<input type="checkbox"/>	494	Aluminium, not in conjunction with Active wheel CODE 695	22"	24"
<input type="checkbox"/>	168	Optigripp special hand rim for tetraplegics	22"	24"
<input type="checkbox"/>	166	Silicone hand rim cover, smooth, black, not in conjunction with Active wheel CODE 695	24"	-
<input type="checkbox"/>	692	Narrow hand rim clearance	22"	24"
<input type="checkbox"/>	693	Wide hand rim clearance	22"	24"
<input type="checkbox"/>	849	Curve L, aluminium black powder coated, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and Spinerger wheel art. no. 1073641, 1073640 and standard wheel CODE 651 and 2651		
<input type="checkbox"/>	850	Curve L Tetra Grip, slip-resistant coating, aluminium, suitable for tetraplegics, ergonomic hand rim profile, H 31 mm, only in conjunction with Active Wheel CODE 695 and Spinerger wheel art. no. 1073641, 1073640 and standard wheel CODE 651 and 2651		
<input type="checkbox"/>	853	GEKKO, aluminium black powder coated with replaceable rubber lip, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and Spinerger wheel art. no. 1073641, 1073640 and standard wheel CODE 651 and 2651		
<input type="checkbox"/>	871*	Double hand rims for seat widths up to 480 mm Only in conjunction with PU tyres CODE 902 Not in conjunction with drum brakes CODE 706	24"	

*not suitable for very active use

Total width hand rim clearance see enclosed information.

08 Tyres (not in combination with Xtrends wheels)

	CODE	DESCRIPTION	Ø	Ø	Ø	Ø
<input type="checkbox"/>	496	Pneumatic tyre 8 bar	22 x 1"		24 x 1"	
<input type="checkbox"/>	486	Pneumatic tyre 4 bar		22 x 13/8"		24 x 13/8"
<input type="checkbox"/>	395	Maxxis VN Master Alpha Protect tyres, black, puncture-resistant, 10 bar			24 x 1"	
<input type="checkbox"/>	902	PU tyres, puncture-proof, not in conjunction with Active wheel CODE 695	22 x 1"		24 x 1"	
<input type="checkbox"/>	897	Schwalbe Marathon Plus Evolution tyre, puncture-resistant, 10 bar	22 x 1"		24 x 1"	
<input type="checkbox"/>	363	Schwalbe ONE plain tread tyre, puncture-resistant, 9 bar	22 x 1"		24 x 1"	

See category 05 Seat height in combination with drive wheel.

Note: Tyres consist of a rubber compound which may leave permanent marks or be hard to remove from some surfaces (e.g. plastic, wooden or parquet flooring, rugs and carpets).

We cannot accept liability for any abrasion damage to flooring.

☐ Please select by ticking the relevant boxes☐ Standard version: If no other selection is made, the standard version will be delivered.**09 Brakes**

CODE	DESCRIPTION
<input type="checkbox"/> 305	Pressure brake for user
<input type="checkbox"/> 681	Brake lever extension, hinged, permanently mounted
<input type="checkbox"/> 305/706	Drum brake for attendant Only in conjunction with push handles CODE 412 or 502 Wheel covering CODE 98 is recommended.
<input type="checkbox"/> 650/60	One-hand pressure brake left (incl. brake lever long, hinged)
<input type="checkbox"/> 650/74	One-hand pressure brake right (incl. brake lever long, hinged)
<input type="checkbox"/> 986	Attachable brake lever extension
<input type="checkbox"/> 73	Side panel brake, brake integrated in clothing guard. only in conjunction with CODE 100

10 Back strap height (BH)

CODE	BH	DESCRIPTION
<input type="checkbox"/> 620	250 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm
<input type="checkbox"/> 626	300 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm
<input type="checkbox"/> 631	350 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm
<input type="checkbox"/> 632	400 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm
<input type="checkbox"/> 633	450 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm
<input type="checkbox"/> 637	500 mm	Back strap, adjustable via hook and loop fasteners, subsequently adjustable + 25 mm

11 Backrest (standard 90° to seat)

CODE	DESCRIPTION
<input type="checkbox"/> 410	Back with push handle, short
<input type="checkbox"/> 412	Back with push handle, long
<input type="checkbox"/> 140	Push handle integrated into back tube, infinitely variable height adjustment up to 100 mm. Not in conjunction with lumbar contour CODE 622 and drum brake CODE 706
<input type="checkbox"/> 141	Push handles, swing-away, only in conjunction with back without lumbar contour CODE 621
<input type="checkbox"/> 502	Back with push handle, mounted on back tube, infinitely variable height adjustment up to 150 mm not in conjunction with push handle CODE 140/141. Lumbar contour CODE 622 only possible from BH 300 mm up
<input type="checkbox"/> 2032	ErgoSeat Pro chest pelottes, small, pair. Recommended with back heights of 300 - 400 mm
<input type="checkbox"/> 2021	ErgoSeat Pro chest pelottes, large, pair. Recommended with back heights of 400 - 500 mm

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

Backrest options

CODE	DESCRIPTION
<input type="checkbox"/> 29	Back, angle-adjustable from seat surface, +/-15° in 5° increments, can be adjusted subsequently. From BH 300 mm up. Only in conjunction with push handle CODE 410/ 412. Not in conjunction with lumbar contour CODE 622
<input type="checkbox"/> 621	Back without lumbar contour
<input type="checkbox"/> 622	Back with lumbar contour
<input type="checkbox"/> 814	Transverse pushbar, stabilises the back in the event of greater strain, not in conjunction with push handles CODE 141. Recommended from SW 460 up!
<input type="checkbox"/> 913	Headrest, 300 mm infinitely variable height adjustment, only in conj. with pushbar CODE 814

12

Side panels and armrests

Please observe the marked functional properties!

1 = fixed 2 = swivel up 3 = detachable 4 = lockable 5 = height-adjustable armrest 6 = with wheel covering

CODE	DESCRIPTION	1	2	3	4	5	6
<input type="checkbox"/> 100	Aluminium side panel in frame colour, with cold weather liner	●					●
<input type="checkbox"/> 81	Side panel, armrest short, height-adjustable with one-hand control. Possible from RSH 450 mm up		●	●	●	●	
<input type="checkbox"/> 84	Side panel, armrest long, height-adjustable with one-hand control. Possible from RSH 440 mm up		●	●	●	●	
<input type="checkbox"/> 302	"Light" side panel, aluminium, in frame colour. Possible from RSH 430 mm up	●					
<input type="checkbox"/> 748	Aluminium side panel in frame colour, with cold weather liner incl. height-adjustable armrest (screw-retained), from RSH 440mm up.	●				●	●
<input type="checkbox"/> 783	Carbon side panel	●					●
<input type="checkbox"/> 98	Aluminium side panel in frame colour with cold weather liner and 50 mm wheel covering	●					●
<input type="checkbox"/> 24	Swing-away side panel bracket, only in conjunction with CODE 98, 100, 783 or without side panel			●			

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

13 Legrests and footrests

CODE	DESCRIPTION	DEPTH	LOWER LEG LENGTH
<input type="checkbox"/> 92 / 798	Legrests, detachable, swing-away and swivel up, incl. two-piece plastic footrest, flip-up, height-adjustable and angle-adjustable	150 mm	400 - 490
<input type="checkbox"/> 93	Legrest upper part standard, detachable and swing-away, front frame angle 70°		
<input type="checkbox"/> 925	Operating aid for locking with limited hand function, only in conjunction with legrest upper part compact CODE 293		
<input type="checkbox"/> 94	Without legrests and footrests		
<input type="checkbox"/> 3532	Shortened lower leg length. Only in conjunction with legrest upper part CODE 293		270 - 360
<input type="checkbox"/> 293	Legrest upper part compact, detachable and swing-away, front frame angle 78°		
<input type="checkbox"/> 4507	Amputee leg support, single, right-mounted only		
<input type="checkbox"/> 4507	Amputee leg support, single, left-mounted only		

Footrests

<input type="checkbox"/> 312	One-piece footrest, stable aluminium profile, in frame colour, flip-up, height and angle-adjustable	100 mm	360 - 480
<input type="checkbox"/> 315	One-piece aluminium footrest in frame colour, flip-up, height and angle-adjustable. Not in conjunction with 7" castor wheel CODE 645	150 mm	360 - 480
<input type="checkbox"/> 808	Individual aluminium footplates in frame colour, flip-up, depth and angle-adjustable.	150 mm	400 - 490
<input type="checkbox"/> 4312	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable, incl. Bluetooth module (from seat width 360 mm up)		
<input type="checkbox"/> 4313	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable (from SW 360 mm up)		

Footrest accessories

CODE	DESCRIPTION
<input type="checkbox"/> 359	Calf strap

Required lower leg length in mm (measured without seat cushion)

Factory default setting of lower leg length from 360 to 490 mm depending on coding.

☐ Please select by ticking the relevant boxes

☐ Standard version: If no other selection is made, the standard version will be delivered.

14 Frame colours

CODE	DESCRIPTION	CODE	DESCRIPTION
<input type="checkbox"/> 130	Titanium grey	<input type="checkbox"/> 206	Matt black
<input type="checkbox"/> 183	Silver metallic	<input type="checkbox"/> 224	Blue metallic
<input type="checkbox"/> 186	Magic blue	<input type="checkbox"/> 227	Red metallic
<input type="checkbox"/> 188	Blackstar	<input type="checkbox"/> 4023	
<input type="checkbox"/> 216	Jet black	<input type="checkbox"/>	

Other frame colours possible on request at a surcharge! See range of colours in introduction to catalogue.

Frame colours

CODE	DESCRIPTION	CODE	DESCRIPTION
<input type="checkbox"/> 4040	Downtown grey	<input type="checkbox"/> 4044	Red metallic matt
<input type="checkbox"/> 4041	Magic blue matt	<input type="checkbox"/> 4045	Signal white matt
<input type="checkbox"/> 4042	Blue metallic matt	<input type="checkbox"/> 4046	Green metallic matt
<input type="checkbox"/> 4043		<input type="checkbox"/> 4047	Purple metallic matt

15 Back strap colours (seat belt always black)

<input type="checkbox"/> 235	Trevira black
<input type="checkbox"/> 292	Net fabric, breathable, black
<input type="checkbox"/> 296	Net fabric, breathable, red

16 Wheelchair accessories Hand protectors and spoke guards

CODE	DESCRIPTION
<input type="checkbox"/> 489	Transparent

Support castor wheels

<input type="checkbox"/> 691	Support castor wheels, one pair, swing-away (recommended). Not in conjunction with stepper tube CODE 309
<input type="checkbox"/> 712	One support castor wheel, swing-away, left-mounted
<input type="checkbox"/> 713	One support castor wheel, swing-away, right-mounted

☐ Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Other accessories

<input type="checkbox"/>	309	Stepper tubes (one pair)
<input type="checkbox"/>	4930	One stepper tube, left-mounted , not in conjunction with support castor wheels CODE 691/712 and manoeuvring castors CODE 746
<input type="checkbox"/>	4931	One stepper tube, right-mounted , not in conjunction with support castor wheels CODE 691/713 and manoeuvring castors CODE 746
<input type="checkbox"/>	746	One pair manoeuvring castors, e.g. for confined spaces or in aeroplanes Not in conjunction with stepper tube CODE 309 or support castor wheels CODE 691/712/713 from RSH 420 mm up
<input type="checkbox"/>	929	Plastic therapy table, transparent, adjustable from 380 to 480 mm seat width Only in conjunction with side panel CODE 84
<input type="checkbox"/>	930	Plastic therapy table for self-propelling user , transparent, push-on, for defined seat width, only in conjunction with side panel CODE 84
<input type="checkbox"/>	833	Retainer strap with buckle
<input type="checkbox"/>	970	Walking aid holder in conjunction with stepper tube
<input type="checkbox"/>	819	Passive lighting
<input type="checkbox"/>	205542100	Hand compressor
<input type="checkbox"/>	951	Accessory net
<input type="checkbox"/>	679	Folding fixture

Caution: With 24" wheels and a rear seat height of less than 470 mm, there is a resulting limitation in terms of armrest height with use of the therapy table Code 929/930

Xtrends accessories

CODE	DESCRIPTION
<input type="checkbox"/> 261519300	X-TREME backpack
<input type="checkbox"/> 261519600	Wheel bag "BLACK WHEEL CASE", suitable for max. 2 x 24" wheels or either 1 x 25" or 1 x 26" wheel
<input type="checkbox"/> 1074231	Wheel bag "MEYRA ACTIVE", suitable for max. 3 x 28" wheels
<input type="checkbox"/> 206964600	3M spoke reflectors

Date:	Signature:
-------	------------

USER DETAILS


First name*:	<input type="text"/>
Last name*:	<input type="text"/>
House no./street:	<input type="text"/>
Postcode:	<input type="text"/>
Town/City*:	<input type="text"/>
Country:	<input type="text"/>
Date of birth*:	<input type="text"/>
Diagnosis -1-:	<input type="text"/>
Diagnosis -2-:	<input type="text"/>
Tel. (landline):	<input type="text"/>
Tel. (mobile):	<input type="text"/>
eMail:	<input type="text"/>
Order no.:	<input type="text"/>

Please note that fields marked * are mandatory!

BODY MEASUREMENTS (IN MM):

Please refer to the sketches in the enclosed information!

1) Seat depth*:	<input type="text"/>
2) Seat width*:	<input type="text"/>
3) Chest width:	<input type="text"/>
4) Chest depth:	<input type="text"/>
5) Elbow height:	<input type="text"/>
6) Arm pit height:	<input type="text"/>
7) Back height:	<input type="text"/>
8) Head height:	<input type="text"/>
9) Forearm length:	<input type="text"/>
10) Lower leg length*:	<input type="text"/>
Height*:	<input type="text"/>
Weight (kg)*:	<input type="text"/>



All seat dimensions are always measured without seat cushion!

I hereby confirm that all details are complete and correct.
I consent to the information/data I provide and the pictures/videos taken of me being passed on to MEYRA GmbH (Meyra-Ring 2, D-32689 Kalletal) and specialist retailer for the purposes of implementing the contract/manufacturing the product.

.....
Date/signature

It is hereby confirmed that all details are complete and correct.

.....
Date/signature of the specialist retailer




Article 1072385




Article 1072386




Article 1081342



CODE 651




CODE 695



CODE 752




Article 1068705




Article 1068707



Article 1073640



Article 1068713



Article 1075478



Article 1075479




CODE 849



CODE 850



CODE 853



CODE 305



CODE 410



CODE 141



CODE 814



CODE 100



CODE 81



CODE 84



CODE 302



CODE 748



CODE 98



07

SEAT WIDTH	320	340	360	380	400	420	440	460	480	500	520
with 0° wheel camber (mm)	500	520	540	560	580	600	620	640	660	680	700
with 3° wheel camber (mm)	550	570	590	610	630	650	670	690	710	730	750
Size when folded with 0° wheel camber						280					
Size when folded with 3° wheel camber						330					

1. GENERAL - SCOPE OF APPLICATION

1.1. The following trading and delivery terms and conditions (T&C) of the company MEYRA GmbH shall be valid for all contracts concluded with the customers of the company. They shall also apply to all future transactions with the customer, even without a separate new agreement.

1.2. The customer accepts the T&C of MEYRA GmbH as binding for the present contract and also for all future contracts. Terms and conditions of the customer or third parties shall not apply. MEYRA GmbH shall not be bound by such terms and conditions, even if they are not expressly contradicted again in the individual case.

1.3. These conditions shall only apply if the customer is an entrepreneur (§ 14 German Civil Code, BGB), a legal entity under public law or a special fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. MEYRA GmbH offers are subject to alteration and non-binding, unless they are expressly designated as binding.

2.2. MEYRA GmbH can accept orders or commissions of the customer within 14 days of receipt by confirming the offer in writing.

2.3. Confirmation of the offer in writing constitutes conclusion of the contract; this shall also apply to any alterations or additions to the orders.

2.4. We reserve ownership rights and copyrights to all documents provided to the customer in connection with the placing of the order. These documents may not be made accessible to third parties without our express written consent. Where we do not accept the customer's offer within the period specified in 2.2, these documents must be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in EURO. All prices are net prices. The respective statutory amount of value added tax shall be paid in addition.

3.2. Unless agreed otherwise in writing, our prices are ex works excluding packaging and shipping. Packaging and shipping costs shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permissible if more than four months lie between the conclusion of the contract and the agreed delivery date. In the event of wages or material costs increasing thereafter until completion, we shall be entitled to increase the price appropriately in line with the cost increases. The customer shall only be entitled to withdraw from the contract if the price increase significantly exceeds the increase in the general cost of living between order and delivery.

3.4. For follow-up orders, MEYRA GmbH shall not be bound to the prices from a previous contract.

3.5. If the order value is below 150.00 € net value of goods, a minimum quantity surcharge of 9.50 € including freight shall be charged.

4. DISPATCH, TRANSFER OF RISK

4.1. The place of performance for deliveries is the registered office of MEYRA GmbH, unless expressly agreed otherwise.

4.2. If the goods are dispatched to the customer at the customer's request, the risk of accidental loss or accidental deterioration of the goods shall pass to the customer as soon as the goods (including partial deliveries) have been handed over to the third party designated to carry out the dispatch. This shall apply irrespective of whether the goods are dispatched from the place of performance or who bears the freight costs.

4.3. In the event of claims due to transport damages or losses being asserted against MEYRA GmbH, the customer must note the damage on the freight documents or, in the event of losses, arrange for this to

be recorded immediately and notify us of this within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delays in handover or dispatch for which the customer is responsible, the risk shall pass to the customer upon notification of readiness for dispatch.

4.6. Where the customer specifies no specific instructions, the choice of the transport route and means shall be made by MEYRA GmbH, without guarantee and liability for the cheapest and fastest mode of dispatch.

5. DELIVERY TIME, SCOPE OF DELIVERY

5.1. Prospective delivery periods are to be understood as estimated delivery periods, unless a specific date has been expressly stipulated in writing.

5.2. If the parties have agreed a delivery period, this shall commence on the date the order is confirmed. The delivery period shall be deemed to have been observed if the goods have left the factory or notification of readiness for dispatch has been given by the end of the delivery period.

5.3. Compliance with agreed delivery and performance dates assumes the timely receipt of all documents to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled on time, the deadlines shall be extended accordingly.

5.4. MEYRA GmbH shall not be liable for delays in delivery arising from force majeure or other events not foreseeable at the time of the conclusion of the contract (e.g. strike, operational disturbances, delayed delivery by our own suppliers, transport delays, unfavourable weather conditions, etc.) for which it is not responsible. The delivery period shall be extended by the duration of the temporary hindrance to performance for which MEYRA GmbH is not responsible, plus a reasonable period for resumption.

5.5. If the resulting delays exceed a period of six weeks, both parties to the contract shall be entitled to withdraw from the contract with regard to the scope of performance concerned.

5.6. MEYRA GmbH shall be entitled to make partial deliveries insofar as the partial delivery is usable for the customer within the scope of the contractual purpose, the delivery of the remaining goods is guaranteed and no additional costs arise for the customer as a result.

6. PAYMENT

6.1. Invoice amounts must be paid in full to one of the bank accounts specified by us within 30 days of receipt of the invoice. If the invoice is not for a spare part delivery or a repair invoice, the customer shall be entitled to a 2 % discount if payment is made within eight days of receipt of the invoice.

6.2. We shall only accept cheques and bills of exchange if this has been expressly agreed beforehand. Acceptance shall be on account of performance. Invoice adjustments for cheques and bills of exchange are subject to redemption. The value shall be credited effective as of the day we have access to the equivalent amount.

6.3. If the customer fails to pay on the due date, the outstanding amounts shall bear interest at 8 % p.a. above the respective base interest rate. We reserve the right to assert higher damages caused by default.

6.4. In the event of the customer being in arrears with a payment, all other claims based on the same legal relationship shall become due for payment immediately without the need for separate notification.

6.5. The customer shall only be entitled to offset if his counterclaims have been legally established or are undisputed. The customer shall only be authorised to exercise a right of retention insofar as his counterclaim

is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods delivered by MEYRA GmbH shall remain the property of MEYRA GmbH until complete settlement of all claims against the customer, including future claims.

7.2. The customer may sell the reserved goods in the ordinary course of business. He shall not be entitled to dispose of the goods in any other way, in particular by way of security assignment or pledge. The claims of the customer arising from the resale of the reserved goods (including other claims such as insurance claims or claims arising from unlawful acts in the event of loss or destruction) are hereby assigned to MEYRA GmbH by way of security. MEYRA GmbH accepts the assignment. The customer is entitled to collect the assigned claim as long as he fulfils his payment obligations. In the event of the customer being in default of payment, we shall be entitled to revoke the collection authorisation.

7.3. If the reserved goods are processed by the customer, it is hereby agreed that the processing shall take place in the name and for the account of MEYRA GmbH as manufacturer and that MEYRA GmbH shall directly acquire ownership or - if the processing takes place from or in connection with materials of several owners or the value of the processed item is higher than the value of the delivered goods - co-ownership (fractional ownership) of the newly created item in the ratio of the value of the subject of delivery to the value of the newly created item. If MEYRA GmbH loses its property through combination or commingling, or if it should not become the owner of the subject of delivery in the case of processing, the customer shall hereby in advance transfer to MEYRA GmbH a co-ownership share in the uniform item corresponding to the proportional value of the subject of delivery. MEYRA GmbH hereby accepts the offer. The delivery shall be replaced by gratuitous custody.

7.4. The customer is obliged to inform us immediately of any access by third parties to the goods delivered under retention of title and to provide us with the information and documents required to assert our rights. At the same time the customer shall inform the third party of MEYRA GmbH's right of ownership without being called upon to do so. Any costs arising in this connection shall be borne by the customer.

7.5. MEYRA GmbH undertakes to release the securities to which it is entitled at the customer's request insofar as they exceed the value of the claims to be secured by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of an insolvency petition concerning the customer, we hereby prohibit the resale or processing of our reserved goods and revoke our authorisation to collect the claims assigned to us.

7.7. In the event of default in payment by the customer, we shall be entitled to demand immediate surrender of the reserved goods.

8. GUARANTEE / LIABILITY

8.1. The customer shall inspect the delivered goods immediately upon delivery. Insofar as obvious defects are concerned or defects that would have been found in the course of a thorough inspection, the customer must notify us of complaints in writing within one week of receipt of the delivery. After expiry of this period, any liability for these defects shall be excluded. Guarantee claims for concealed defects shall only exist if they are notified to us in writing within one week of being detected.

8.2. In cases of defective delivery, we shall have the right, at our discretion, to repair the defective item or to replace it with a new delivery free of defect. The customer is obliged to make the defective item available to us free of charge for inspection and rec-

tification. If the rectification of defects or subsequent delivery does not succeed, if it is not provided within a reasonable period of time or if it is rejected by us, the customer may, at his discretion, withdraw from the contract or reduce the purchase price. It is not necessary to set a time limit in cases where this is not required by law.

8.3. The guarantee shall lapse if the customer changes the subject of delivery or has it changed by third parties without our consent and the removal of the defect is thereby rendered impossible or unreasonably difficult. The customer shall, however, in any case bear the additional costs of remedying the defect incurred as a result of the change.

8.4. Any guarantee which we may assume towards the first user of the rehabilitation equipment shall not be affected by the above provisions.

8.5. Excluded from the warranty is the function-related wear of all articles, assemblies, batteries and spare parts supplied by us, as well as the inappropriate or improper storage, use or handling of the goods.

8.6. Further claims of the customer, in particular for damages instead of performance and for compensation of any other direct or indirect damage - including accompanying or consequential damage, irrespective of the legal basis - are excluded. This shall not apply if MEYRA GmbH has fraudulently concealed a legal or material defect or if the damage is based on intent or gross negligence of MEYRA GmbH, its legal representatives or vicarious agents or a negligent violation of essential contractual obligations exists. Essential contractual obligations are such obligations of which the fulfilment is essential for the proper execution of the contract and on the observance of which the contractual partner regularly relies and may rely. In the case of damage to property and financial losses caused by slight negligence, however, the liability of MEYRA GmbH to pay compensation is limited in amount to foreseeable damage typical for this type of contract. Furthermore, physical injury and/or damage to health caused by a culpable breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

8.7. Liability under the German Product Liability Act (Produkthaftungsgesetz) remains unaffected.

9. LIMITATION

Claims of the customer on account of material defects shall become time-barred two years after handover/delivery of the goods to the customer. The period of limitation for replacement devices and repairs shall be one year from handover/delivery of the goods to the customer. Excluded from this are claims for damages due to injury to life, limb or health and/or claims for damages on account of grossly negligent or intentionally caused damage by MEYRA GmbH or its vicarious agents. In this respect, the statutory limitation periods shall apply.

9.1. REPLACEMENT DEVICE SERVICE

Irrespective of the guarantee, MEYRA GmbH shall offer its customers the option of replacing defective devices with refurbished ones. The following provisions shall apply in respect of these devices offered in exchange:

- Replacement devices are refurbished and technically in order.
- The defective device must be returned to MEYRA GmbH free of charge within 15 working days.
- The returned device shall become our property.
- If the device is not returned, we shall charge 95% of the new retail price for the replacement device delivered.

- The returned device must correspond to the type and design of the delivered replacement device.

Moreover the device must be reusable

and may only show signs of wear appropriate to normal use.

- It is incumbent upon MEYRA GmbH to assess whether the returned device fulfils the aforementioned conditions.

Should the conditions not be met, we shall also charge the aforementioned amount less the residual value of the returned device for the delivered replacement device.

10. PRODUCT SAFETY

10.1. PRODUCT RECALL

In the event of a product recall being necessary on account of a defect in the delivered goods or due to existing legal obligations, the customer is obliged to cooperate in implementing the product recall in order to enable an efficient execution thereof. In particular, the customer is obliged in the event of a necessary product recall to inform MEYRA GmbH about the whereabouts of the subjects of delivery in the further supply chain up to the end customer. For this purpose, the customer must maintain suitable documentation on an on-going basis about the whereabouts of the goods and make this available to MEYRA GmbH on request. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the obligations to cooperate specified here in order to ensure the execution of an efficient product recall.

10.2. The customer is obliged to instruct end customers in the handling and use of the delivered products by trained specialist staff. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the duty to instruct in handling and use of the delivered product specified here.

11. LIABILITY FOR CONSTRUCTIONAL MODIFICATIONS

Attention is drawn to the fact that stricter statutory provisions apply in the case of MY INDIVIDUAL. Constructional modifications of MEYRA GmbH articles by the customer or a third party commissioned by him are only permissible if they comply with the safety requirements and have previously been consented to in writing by our management. For this purpose, a modified model and a design drawing shall be made available to us on request. In the event of constructional changes being made without the written consent of our management and damage arising to third parties as a result of the changes for which we are liable in the external relationship, the customer is obliged to indemnify us in the internal relationship against all claims of the third party.

12A. RETURN OF FINISHED PRODUCTS AND ASSEMBLIES

Goods returned without an enclosed copy of the delivery note or invoice will not be accepted for return. Goods returned (in their original packaging and absolutely as new) will be credited with 80% of the net value of the goods. Excluded from return are articles delivered more than three months previously, MY INDIVIDUAL, hygiene products, used and/or filled batteries and articles under EUR 100.00 net commodity value. Individually manufactured wheelchairs (e.g. children's and adaptive wheelchairs) are likewise excluded. The sender shall bear the transport risk. Any cleaning and/or disinfection costs incurred in connection with approved returns will be charged at a flat rate of at least EUR 79 net.

12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

12B.1 It is not possible to cancel orders without the prior consent of MEYRA GmbH.

12B.2 Cancellations must be made in writing.

12B.3 If the cancellation of finished, deliverable products has been approved, the following shall apply:

- Rehabilitation articles will be credited in full.
- Custom wheelchairs and sports wheelchairs will not be accepted for cancellation.
- In the event of cancellation of adaptive wheelchairs, 20% of the net value of the goods will be retained.

The cancellation fee for power chairs and scooters is 5%. A 10% cancellation fee will be charged for standard and lightweight wheelchairs.

12C. RETURN / DISPOSAL

Our prices are exclusive of the costs for the return and disposal of complete old devices of users other than private households. On request, we shall also organise the return and reuse/disposal of such devices, insofar as these were sold by us, against reimbursement of the costs incurred. Returns are not possible without the prior consent of MEYRA GmbH.

13. USE OF PERSONAL DATA

We are entitled to store personal data about the customer within the scope of the legal provisions, in particular the General Data Protection Regulation, and to process such data within the company.

14. PLACE OF JURISDICTION, APPLICABLE law, severability clause

14.1. Unless expressly agreed otherwise, the place of performance shall be the registered office of MEYRA GmbH in Kalletal-Kalldorf.

14.2. For all legal disputes arising from the contractual relationship, the place of jurisdiction shall be determined by our registered office in Kalletal-Kalldorf. We are also entitled to bring legal action against the customer at his place of jurisdiction.

14.3. The law of the Federal Republic of Germany shall apply while excluding the UN Convention on Contracts for the International Sale of Goods.

14.4. Should individual provisions of these Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.